



PRIME CERAMICS PVT. LTD.
Level 4, Saket Complex
Tripureshwar, Kathmandu, Nepal
Ph: +977 5918860/61/62
+977 9802310000
info@primeceramics.com.np

FACTORY
Sakhuwa Dhamaura Brindavan,
Municipality -6, Rautahat, Nepal
Ph: +977 9765705425

AN ISO 9001:2015 CERTIFIED COMPANY
www.primeceramics.com.np

Toll Free No.
18105000062



Catalogue

2023-2024





Welcome to the World of Prime – Tiles with *Stile*

Prime – Tiles with *Stile* is the most innovative and stylish product introduced in Nepalese Tile Market. With its exquisite design, aesthetics, superior quality parameters and competitive price, Prime Tiles is a delight for the consumers.

The Nepalese market is all set to be redefined with an innovative and state of art manufacturing facility in Nepal and for Nepal. The Plant boasts one of its kind set up which can meet the ever-changing requirements of the consumers aspiring for a better and prosperous home. The team at Prime Ceramics P Ltd is proud for having unleashed a product that will contribute significantly to raising living standard of Nepalese society.

The Prime Advantage


Technology

Crafted with the best raw materials and run on SACMI Italy turnkey state of art plant, Prime Tiles are class apart. The ceramic engineering used in the manufacturing process encompasses the most recent developments and sophistication in ceramic tile manufacturing technology. The wet grinding body preparation, pressing process, automatic lines, glaze line, digital printing, superior kiln, packaging and sorting are all from the best in the industry. Noteworthy is the sophisticated robotic sorting line at Prime Tiles Manufacturing facility, which ensure the planarity, thickness, sizes, shades and other such critical parameters are checked using infrared technology and every tile comes out as perfect piece to be laid.



Designs

The tile designs have been carefully selected based on taste of consumers and cover the most contemporary stylish patterns. The ultra modern digital printing technology and usage of Spanish Inks ensures flawless design patterns and glow. Everyone has a choice to make and all choices are available.



One Stop Solution

The Tiles covers almost all sizes, designs and usage and can be used across segments like residential, commercial, public spaces, infrastructure projects and the like. Prime Tiles offers 'One Stop Solution' with its array of products across the wall and floor segment. The smallest to largest sizes, the simplest to the complex designs, the roughest to the smooth finishes, extra high gloss to matt glazes, slimmest to the thicker, Prime offers choice and solution for every consumer. Prime Tiles offer a complete array of flooring solutions, which can easily core over traditional flooring materials like marble, wood, PVC etc.



Pricing

The price of Prime Tiles is one of the most competitive in the industry. Armed with superior sourcing of raw material, use of domestic resources, lesser transport cost and lead time, efficient manufacturing process and transcending trade barriers and costs, Prime Tiles costs less than any other superior tiles in the market. We bring a treat for the Nepalese consumer on the table.



Sustainability

We are fair, transparent and believe in ethical business practices. Sustainability is in our core value system and usage of efficient energy system, environmental practices, occupational health and safety and social inclusion is ensured. Prime is a long term player and does not take any short cuts.



Welcome to the world of Prime – Tiles with *Stile*

APPLICATIONS

 RESIDENTIAL	 SHOPS	 RESTAURANTS
 HOTELS	 PUBLIC SPACES	 HOSPITALS
 OFFICES	 AIRPORTS	 BUS STATIONS
 GARDENS & POOLS	 MALLS	 TERRACES

FEATURES

 Zero maintenance	 Highly resistant to ultraviolet(UV) light	 Superior mechanical resistance
 Low water absorption	 Long lasting	 Scratch resistant
 Dimensional stability	 Resistance to freezing and thawing	 Abrasion resistant
 Fire and heat resistance	 Easy cleaning	 Stain resistant

INDEX


Glazed Vitrified Tiles - Floor <i>600 x 1200 mm</i>	01
Glazed Vitrified Tiles - Floor <i>600 x 600 mm</i>	09
Ceramic Tiles - Floor <i>600 x 600 mm</i>	13
Ceramic Tiles - Floor <i>400 x 400 mm</i>	25
Ceramic Tiles - Wall <i>300 x 600 mm</i>	31
Ceramic Tiles - Wall <i>300 x 450 mm</i>	53
Ceramic Tiles - Floor <i>300 x 300 mm</i>	65
Prime Stone Parking Tiles <i>400 x 400 mm</i>	73
Prime Stone Parking Tiles <i>300 x 300 mm</i>	77
Wall Cladstone Tiles - Vitrified <i>300 x 600 mm</i>	81
Wall Cladstone Tiles - Ceramic <i>300 x 450 mm</i>	85
Glazed Vitrified Tiles - Plank <i>200 x 1200 mm</i>	89
Double Charge Vitrified Tiles <i>600 x 600 mm</i>	95
Technical <i>Specification</i>	99

GLAZED VITRIFIED TILES
600 x 1200 mm




FLOOR _ CLASSIC CURVES
(High Gloss)

ATLANTICO ROSA (High Gloss)



NOIRE DAWN (High Gloss)




SLAY GREY LIGHT (Carving)



BRESCIA GEM (FP)



CLASSIC CURVES (High Gloss)




GRACEWOOD WHITE OAK (Carving)



CACHEMIRA AVORIO (FP)



GREY PEARL (FP)



SLATE GREY DARK (Carving)



WOODY PEACH (Carving)



LOTO AVORIO (FP)



MYSTERY WHITE WAVES (FP)




**FP - Full Polished*

NORDIQUE AMANDE (FP)




NORDIQUE GLANCE (FP)




MEGALITH ASHY (Matt)



MEGALITH LINUM (Matt)



PIERRA BLANCHE (FP)




PIERRA GREY (FP)



GIALIO BROWN (Matt)



GREY TRUFFLE (Matt)



PEARL WHITE (FP)



TEAK BROWN (FP)



MADEIRA BEIGE (Matt)



MADEIRA LUMBER (Matt)



600 x 1200 mm
GLAZED VITRIFIED TILES

WHITE CARRARA (FP)




ALPHINO TECA (Matt)



MONOTONO GREY (Matt)





MULTISTONE CHARBON (Matt)



FLOOR _ WHITE CARRARA

GLAZED VITRIFIED TILES
600 x 600 mm



FLOOR _ WHITE CARRARA
(Glossy)

600 x 600 mm
GLAZED VITRIFIED TILES




WHITE CARRARA (Matt)



BOTTOCINO SEMI CLASSICA (Matt)



MEGALITH ASHY (Matt)



MADEIRA BEIGE (Matt)



GIALIO BEIGE (Matt)




BRANCO ELITE (Matt)



MEGALITH LINUM (Matt)



MULTISTONE CHARBON (Matt)



GREY TRUFFLE (Matt)



INFUSE IVORY (Matt)



FLOOR _ MULTISTONE CHARBON

CERAMIC FLOOR TILES
600 x 600 mm



FLOOR_ATOM
(Matt)

ANTIQUITY NATURAL (Matt)



ALPINE BROWN (Matt)



BASHFUL BROWN (Matt)



AZURE (Matt)



ATOM (Matt)




3D GLOSS(Matt)



CLOSET BROWN (Matt)



COVERT GLOSS (Matt)



BOARD BEIGE (Matt)




ANTIQUITY (Matt)



COVERT GLOSS STARK (Matt)



CRYPTIC PINK (Matt)



600 x 600 mm
CERAMIC FLOOR TILES




ECHO BEIGE (Matt)



ECHO DARK (Matt)



GLADDENING (Matt)



LASSIE GREY LIGHT (Matt)



ECHO GREY (Matt)



EDGED WOOD (Matt)



LASSIE GREY (Matt)



LAVISH LOG (Matt)




EDGED WOOD INTENSE (Matt)



GINGHAM TOSS (Matt)



LEVEL BEIGE (Matt)



LEVEL STARK (Matt)




MARVEL BRIGHT (Matt)



MIRAGE (Matt)



NATURAL DARK (Matt)



NATURAL LIGHT (Matt)



MIRAGE DENSE (Matt)



MILKY CREMA (Matt)



ODD TEAK (Matt)



PLEASANT BEIGE (Matt)



MYSTERY MAZE (Matt)



MYSTERY MOCK (Matt)



PLEASANT GRAPHIC (Matt)



PLEASANT WHITE (Matt)




600 x 600 mm
CERAMIC FLOOR TILES



PLY BROWN (Matt)



PLAIN IVORY (Matt)



REFINED BROWN (Matt)



SERENDIPITY (Matt)



PLAINT WHITE (Matt)



RAV BROWN (Matt)



COLORANT (Matt)



TIMBRE BLISS (Matt)



REAL MAHAGONI (Matt)



REAL TEAK (Matt)



TIMBRE MAT (Matt)




WINDY SMUG (Matt)



WOODY FOIST (Matt)



WOODY IMPRESSION (Matt)



Floor _ WOODY FOIST

CERAMIC FLOOR TILES
400 x 400 mm




Floor _ PLASTER FADE GREY DECOR
(Matt)

ASHED SYMMETRY (Matt)



BLUFFE PEBBLE (Matt)




BROWN CRUSHED COATED (Matt)



MONARCH BROWN (Matt)



BROWE PEBBLE (Matt)



COSMIC BROWN (Matt)



MONARCH DECOR COATED (Matt)




EARTHEN LIGHT GREY (Matt)



CASSION VELVET (Matt)



CASISON VELVET GREY (Matt)



EARTHEN DARK GREY (Matt)



GREY CRUSHED COATED (Matt)




400 x 400 mm
CERAMIC FLOOR TILES



HEXAGON BROWN MIXED (Matt)



HEXAGON GREY DRY (Matt)



RIDGE PETALS BLUE (Matt)



RIDGE PETALS BROWN (Matt)




PLASTER COATED DECOR (Matt)




PLASTER COATED (Matt)



ZEAL DOTTED GREY (Matt)



ZEAL DOTTED (Matt)



PLASTER FADE GREY DECOR (Matt)




PLASTER FADE GREY (Matt)



Floor _ ZEAL DOTTED GREY

CERAMIC WALL TILES
300 x 600 mm



WALL FLORAL BROWN
(Glossy)

FLORAL LIGHT (Glossy)



FLORAL BROWN HL 01 (Glossy)



CLASSY BEIGE LIGHT (Glossy)



CLASSY BEIGE HL 01 (Glossy)




FLORAL BROWN HL 02 (Glossy)



FLORAL BROWN (Glossy)



CLASSY BEIGE HL 02 (Glossy)



CLASSY BEIGE DARK (Glossy)



FLORAL BROWN (Matt)



CLASSY BEIGE DARK (Matt)




OCEANIC LIGHT (Glossy)



OCEANIC BLUE HL 02 (Glossy)



NOBLE WHITE (Glossy)



NOBLE HL 02 (Glossy)




OCEANIC BLUE HL 01 (Glossy)




OCEANIC BLUE DARK (Glossy)



NOBLE HL 01 (Glossy)




NOBLE BLACK (Glossy)



OCEANIC BLUE DARK (Matt)



NOBLE BLACK (Matt)



FAITH LIGHT (Glossy)




FAITH HL 02 (Glossy)




TRI LIGHT (Glossy)



TRI DARK HL 02 (Glossy)



FAITH HL 01 (Glossy)



FAITH DARK (Glossy)



TRI DARK HL 01 (Glossy)



TRI DARK (Glossy)



FLORAL GREY (Matt)



FLORAL BROWN (Matt)



300 x 600 mm
CERAMIC WALL TILES




DOVE (Glossy)



DOVE HL 02 (Glossy)



FORD LIGHT (Glossy)



FORD HL 02 (Glossy)



DOVE HL 01 (Glossy)



DOVE HL 03 (Glossy)




FORD HL 01 (Glossy)



FORD DARK (Glossy)




BUFF BEIGE (Matt)




FORD DARK (Matt)




STRIP GREY LIGHT (Glossy)




STRIP GREY HL 02 (Glossy)




BLARE MINT LIGHT (Glossy)



BLARE MINT DARK (Glossy)



STRIP GREY HL 01 (Glossy)




STRIP GREY DARK (Glossy)



BLARE MINT LIGHT HL (Glossy)



MAZE DARK (Matt)




BLARE MINT DARK (Matt)



300 x 600 mm
CERAMIC WALL TILES


DESTINY LIGHT (Glossy)



DESTINY DARK (Glossy)



DESTINY HL (Glossy)




DESTINY DARK (Matt)




WALL _ DESTINY LIGHT_ DESTINY HL _ DESTINY DARK
FLOOR _ DESTINY DARK


DAISY JOLLY LIGHT (Glossy)




DAISY JOLLY DARK (Glossy)



SPLASH GREY LIGHT (Glossy)




SPLASH GREY DARK (Glossy)




DAISY JOLLY HL (Glossy)



SPLASH GREY HL (Glossy)




JOLLY DARK (Matt)



SPLASH GREY DARK (Matt)




SPLASH BROWN LIGHT (Glossy)



SPLASH BROWN DARK (Glossy)



PUZZLED LIGHT (Glossy)



ANGEL LIGHT (Glossy)



SPLASH BROWN HL (Glossy)



PUZZLED HL (Glossy)



ANGEL HL (Glossy)



SPLASH BROWN DARK (Matt)



PUZZLED DARK (Glossy)



ANGEL DARK (Glossy)




300 x 600 mm
CERAMIC WALL TILES




RUBBLE CREMA (Glossy)



GREY WHITE LIGHT (Glossy)



DUSK GRIS LIGHT (Matt)




RUBBLE CREMA HL (Glossy)



GREY BUD JOY LIGHT (Glossy)



DUSK GRIS DECORE (Matt)





RUBBLE MUSHROOM (Glossy)



GREY WHITE HORIZON (Glossy)




DUSK GRIS DARK (Matt)




Wall _ DUSK GRIS DARK
DUSK GRIS LIGHT
DUSK GRIS DECORE

300 x 600 mm
CERAMIC WALL TILES

PLAIN IVORY (Glossy)



PLAIN WHITE (Glossy)



CRUST BUFF (Glossy)




CRUST BUFF DECORE (Glossy)



DAZZLE BIANCA (Glossy)



DAZZLE HL (Glossy)



WALL _ DAZZLE BIANCA _ DAZZLE HL

CERAMIC WALL TILES
300 x 450 mm



Wall _ RICHMOND SET
(Glossy)

300 x 450 mm
CERAMIC WALL TILES




RICHMOND LIGHT (Glossy)




RICHMOND DARK (Glossy)



KETTLE LIGHT (Glossy)



KETTLE DARK (Glossy)



RICHMOND HL 01 (Glossy)



RICHMOND DARK (Matt)



KETTLE HL 01 (Glossy)



KETTLE DARK (Matt)




RICHMOND HL 02A (Glossy)




KETTLE HL 02A (Glossy)



RICHMOND HL 02B (Glossy)




KETTLE HL 02B (Glossy)



OCEAN LIGHT (Glossy)




OCEAN DARK (Matt)



IMPACT LIGHT (Glossy)



IMPACT DARK (Glossy)




OCEAN HL 01 (Glossy)



IMPACT HL 02 (Glossy)




IMPACT DARK (Matt)



OCEAN HL 02 (Glossy)




IMPACT HL 01 (Glossy)



OCEAN DARK (Glossy)



PLAIN WHITE (Glossy)




PLAIN IVORY (Glossy)



FLORIDA LIGHT (Glossy)



LINEN LIGHT (Glossy)



LIGEN LIGHT (Glossy)



TREVERTINO LIGHT (Glossy)



FLORIDA HL (Glossy)



LINEN HL (Glossy)



LIGEN HL (Glossy)



TREVERTINO HL (Glossy)




FLORIDA DARK (Glossy)



LINEN DARK(Glossy)



LIGEN DARK (Glossy)



TREVERTINO DARK (Glossy)



FLORIDA DARK (Matt)



LINEN DARK (Matt)




LIGEN DARK (Matt)



TREVERTINO DARK (Matt)




PRISTINE GREY LIGHT (Glossy)



PURPLE LIGHT (Glossy)



CARVE LIGHT (Glossy)



GRAVEL LIGHT (Glossy)




PRISTINE GREY HL (Glossy)




PURPLE HL (Glossy)




CARVE HL (Glossy)



GRAVEL HL (Glossy)




PRISTINE GREY DARK (Glossy)



PURPLE DARK(Glossy)



CARVE DARK (Glossy)



GRAVEL DARK (Glossy)




PRISTINE GREY DARK (Matt)



PURPLE DARK (Matt)



CARVE DARK (Matt)




GRAVEL DARK (Matt)




300 x 450 mm
CERAMIC WALL TILES


MIRAGE LIGHT (Glossy)



MIRAGE HL (Glossy)



MIRAGE DARK (Glossy)



MIRAGE DARK (Matt)



VASE LIGHT (Glossy)




VASE HL (Glossy)



VASE DARK (Glossy)



VASE DARK (Matt)



Wall _VASE DARK_ VASE LIGHT_ VASE HL
- Floor _ VASE LIGHT

CERAMIC FLOOR TILES
300 x 300 mm



FLOOR _ DESTINY DARK
(Matt)


AQUA CLOUDY (Matt)



BLARE DARK (Matt)



CHARCOAL (Matt)



CRYSTAL GREY (Matt)



AQUA DENSE (Matt)




BUFF BEIGE (Matt)



CHEESY BROWN (Matt)




DAISY JOLLY (Matt)



AQUA GREEN (Matt)



CAMEL BROWN (Matt)




CLASSY BEIGE (Matt)




FLORAL BROWN (Matt)




MILKY BIANCO (Matt)




PUZZLE DARK (Matt)



SPOTY GREY (Matt)



ULTRAMARINE (Matt)




DESTINY DARK (Matt)




MAD GREY (Matt)



CRUST BLACK (Matt)




CRUST GREY (Matt)



FLORAL GREY (Matt)



MAZE DARK (Matt)



CRUST DUSK (Matt)



CRUST PALE (Matt)




FORD DARK (Matt)



CRUST BARREN (Matt)




CRUST FOGGY (Matt)




CRUST PINE (Matt)



SANDY MINT (Matt)



SERENE (Matt)



TUNNEL NERO (Matt)




PLAIN IVORY (Matt)



300 x 300 mm
CERAMIC FLOOR TILES



SPLASH BROWN DARK (Matt)




SPLASH GREY DARK (Matt)



WOODY DARK (Matt)




PLAIN WHITE (Matt)




Floor _ WOODY DARK

PRIME STONE PARKING TILES
400 x 400 mm



Floor _ SEAGULL
(Matt)

BISHOP (Matt)




INTEX (Matt)




ELITE LIGHT (Matt)



EMBLEM LIGHT (Matt)



BENELI (Matt)



LUXURY (Matt)



ELITE DARK (Matt)



EMBLEM DARK (Matt)



CIZAR (Matt)



SEAGULL (Matt)



DECENT LIGHT (Matt)



DECENT DARK (Matt)



PRIME STONE PARKING TILES
300 x 300 mm




FLOOR LEVEL LIGHT
(Matt)

300 x 300 mm
PRIME STONE PARKING TILES



COZY (Matt)



LIBERAL (Matt)



VISTA (Matt)



REMOTE LIGHT (Matt)




NEO REMOTE (Matt)




REMOTE DARK (Matt)



LAKE BROWN (Matt)



LAKE GREY (Matt)



PUZZLE (Matt)



PITCH LIGHT (Matt)



PITCH BROWN (Matt)



PITCH DARK (Matt)




LEVEL LIGHT (Matt)



LEVEL (Matt)



PERSONA (Matt)



ORIENT (Matt)




PARCLE LIGHT (Matt)




PARCLE DARK (Matt)



RUBY (Matt)



WALL CLADSTONE VITRIFIED TILES 300 x 600 mm



WALL _ VENICE BRONZE GRID
(Matt)

STRISCIA SLATE GRID (Matt)




VENICE BRONZE GRID (Matt)



RAMITO CIMENTO (Matt)



CUDILLERO HAZEL GRID (Matt)




STRISCIA BROWN GRID (Matt)



VENICE GREY GRID (Matt)




RAMITO FOSSIL (Matt)




CUDILLERO MIX GRID (Matt)



STRISCIA DARK GRID (Matt)



STYGIAN GRID (Matt)



RAMITO SILVERY (Matt)



CUDILLERO SLATY GRID (Matt)




BRIQUES BEIGE (Matt)



RUSTIC STONE (Matt)



HAZEL GRID (Matt)



APPOLO BROWN BRIQUES (Matt)



WALL CLADSTONE TILES
300 x 450 mm



WALL _ HAZE GRIS
(Matt)

300 x 450 mm
WALL CLADSTONE TILES



BROWN LINE (Matt)



GREY LINE (Matt)



STARK MOSAIC (Matt)



HAZE (Matt)



CALIBER BEIGE (Matt)



CALIBER GRIS (Matt)



CROWN (Matt)




HAZE GRIS (Matt)



RUGGED BRICK (Matt)



SLEEK BREAK (Matt)



WALL _ BROWN LINE

GLAZED VITRIFIED TILES - PLANK
200 x 1200 mm



FLOOR _ BALLARD PEACH
(Matt)

200 x 1200 mm
GLAZED VITRIFIED TILES - PLANK



BALLARD PEACH



BALLARD WHITE OAK



MONASTIC TEAK



FLOOR _ BALLARD WHITE OAK




FLOOR _ MONASTIC TEAK

200 x 1200 mm
GLAZED VITRIFIED TILES - PLANK



METALLIC OAK



METALLIC PINE



METALLIC WENGE



FLOOR _ METALLIC WENGE

DOUBLE CHARGE VITRIFIED TILES
600 x 600 mm



FLOOR _ TROPICAL ROSE
(Glossy)


TROPICAL BLACK (Glossy)




TROPICAL ROSE (Glossy)



ANTIQUE ASH (Glossy)



ANTIQUE EARTH (Glossy)



TROPICAL WHITE (Glossy)



TROPICAL CARAMEL (Glossy)



TROPICAL AQUA (Glossy)



TROPICAL ASH (Glossy)



Ceramic Floor Tiles / 600 x 600 / 400 x 400 / 300 x 300

CHARACTERISTICS	STANDARD TEST METHOD	IS 15622:2017 3<E<6% (GROUP B A)	PRIME CERAMICS STANDARD
DIMENSION & SURFACE QUALITY			
Deviation in length & width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in thickness (%)	IS 13630 Part-1	± 5.0%	± 4.00%
Straightness of sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface flatness (%)	IS 13630 Part-1	± 0.50%	± 0.20%
Surface quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible defects	Min. of 95 % of tiles shall be free from visible defects
PHYSICAL PROPERTIES			
Water Absorption (%)	IS 13630 Part-2	Avg.3<E≤ 6 %, Ind-6.2 % Max	3-6 %
Modulus of Rupture in (N/Sq mm)	IS 13630 Part-6	Avg. 22, Ind.-20, min	>25
Breaking strength in N	IS 13630 Part-6	600 Min for Thickness< 7.5mm 1000 Min for Thickness≥ 7.5mm	> 1000 N
Moisture expansion in mm/m	IS 13630 Part-3	0.03 Max	0.03 Max
Scratch hardness of surface (Moh's Scale)	IS 13630 Part-13	4 Min	4 Min
Resistance to surface abrasion of glazed tiles (Class I to V)	IS 13630 Part-11	Class II, Min	Class II Min
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 Part-4	9 X 10 ⁻⁴ max	9 X 10 ⁻⁴ Max
Thermal Shock Resistance	IS 13630 Part-5	10 Cycles, Min.	10 Cycles
Crazing Resistance Glazed Tiles	IS 13630 Part-9	4 Cycle@7.5 Bar, Min.	4 Cycles
Impact Resistance - Coefficient of Restitution	IS 13630 Part-14	0.55 Min.	0.60 Min
CHEMICAL PROPERTIES			
Resistance to Staining of Glazed Tiles	IS 13630 Part-8	Class I Min	Class I Min
Resistance to chemicals(except HF acid)	IS 13630 Part-8	No visible defects	No visible defects

PACKING DETAILS		
DIMENSION (MM)	BOX	
	No of tiles per carton	Covered area per carton(Sq-Mtrs.)
600 x 600	4 N	1.44
400 x 400	5 N	0.80

Note : Size and shade variation is inherent in all Ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Buyers are advised to inspect sample of the tiles before ordering and laying. At all times, the company liability is restricted to the purchase value of tiles. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete and change, any of the items, color, sizes & technical specifications without any prior notice.

Ceramic Wall Tiles / 300 x 450 / 300 x 600 / 300 x 300

CHARACTERISTICS	STANDARD TEST METHOD	IS 15622:2017 E>10% (GROUP B)	PRIME CERAMICS STANDARD
DIMENSION & SURFACE QUALITY			
Deviation in length & width (%)	IS 13630 (Part-1) : 2006	± 0.20%	± 0.20%
Deviation in thickness (%)	IS 13630 (Part-1) : 2006	± 5.0%	± 4.00%
Straightness of sides (%)	IS 13630 (Part-1) : 2006	± 0.15%	± 0.15%
Rectangularity (%)	IS 13630 (Part-1) : 2006	± 0.20%	± 0.20%
Surface flatness (%)	IS 13630 (Part-1) : 2006	± 0.30%	± 0.30%
Surface quality (%)	IS 13630 (Part-1) : 2006	Min. of 95 % of tiles shall be free from visible defects	Min. of 95 % of tiles shall be free from visible defects
PHYSICAL PROPERTIES			
Water Absorption (%)	IS 13630 (Part 2):2006	Avg.>10 %	10 - 15%
Modulus of Rupture in (N/Sq mm)	IS 13630 (Part 2):2006	Min 15, for Thickness <7.5 mm Min 12, for Thickness≥ 7.5mm	≥ 17
Breaking strength in N	IS 13630 (Part 6):2006	< 7.5mm Thickness : 200, Min ≥ 7.5mm Thickness : 600, Min	≥ 750 N
Moisture expansion in mm/m	IS 13630 (Part 3):2006	Minimum 4	4
Scratch hardness of surface (Moh's Scale)	EN 101	Minimum 3	4
Resistance to surface abrasion of glazed tiles (Class I to V)(Applicable for Floor tiles only)	IS 13630 (Part 11):2006	Class II, Min	Class II, Min
Co-efficient of Linear Thermal Expansion from Ambient temperature to 100°C	IS 13630 (Part 11):2007	9 X 10 ⁻⁶ K ⁻¹ max	9 X 10 ⁻⁶ K ⁻¹ max
Thermal Shock Resistance	IS 13630 (Part 11):2008	10 Cycle Min.	10 Cycles
Crazing Resistance Glazed Tiles	IS 13630 (Part 11):2009	4 Cycle@7.5 Bar, Min.	4 Cycle
Impact Resistance - Coefficient of Restitution	IS 13630 (Part 11):2010	0.55, Min.	>0.55
CHEMICAL PROPERTIES			
Resistance to Staining of Glazed Tiles	IS 13630 (Part-8) : 2006	Class I, Min	Class I, Min
Resistance to chemicals(except HF acid)	IS 13630 (Part-8) : 2006	No visible defects	No visible defects

PACKING DETAILS		
DIMENSION (MM)	BOX	
	No of tiles per carton	Covered area per carton(Sq-Mtrs.)
300 x 600	5 N	0.90
300 x 450	6 N	0.81
300 x 300	10 N	0.90

Technical Specification

Vitrified Floor Tiles / 600 x 1200 / 600 x 600 / 200 x 1200

CHARACTERISTICS	STANDARD TEST METHOD	As per standard - IS 15622:2017 0.08<E<3% (Group B Ib)	PRIME CERAMICS STANDARD
DIMENSION & SURFACE QUALITY			
Deviation in length & width (%)	IS 13630 (Part I)	± 0.1 %	± 0.1 %
Deviation in thickness (%)	IS 13630 (Part I)	± 5.0 %	± 4.00 %
Straightness of sides (%)	IS 13630 (Part I)	± 0.1 %	± 0.1 %
Rectangularity (%)	IS 13630 (Part I)	± 0.1 %	± 0.1 %
Surface flatness (%)	IS 13630 (Part I)	± 0.5 %	± 0.2 %
Surface Quality (%)	IS 13630 (Part I)	Min 95% of the tiles shall be free from visible defects	Min 95% of the tiles shall be free from visible defects
PHYSICAL PROPERTIES			
Water Absorption (%)	IS 13630 Part 2	Average 0.08 < E ≤ 3 %, individual 3.2% Max.	<0.08 - 3%
Modulus of Rupture in (N/Sq mm)	IS 13630 Part 6	Average 30 , individual 27 min	Min 30
Breaking strength in N	IS 13630 Part 6	700 Min for thickness < 7.5mm, 1100 Minimum for thickness ≥7.5 mm	>1100
Moisture expansion in mm/m	IS 13630 Part 3	0.02 Max	0.02 Max
Scratch hardness of surface (Moh's Scale)	IS 13630 Part 13	5 Min	5 Min
Resistance to surface abrasion of glazed tiles (Class I to V)	IS 13630 Part 11	Class II Min	Class II Min
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 Part 4	X710 ⁻⁴ max	X710 ⁻⁴ max
Thermal Shock Resistance	IS 13630 Part 5	10 Cycles, Min	10 Cycles
Crazing Resistance Glazed Tiles	IS 13630 Part 9	4 Cycles at 7.5 Bar, Min	4 Cycles
Impact Resistance - Coefficient of Restitution	IS 13630 Part 14	0.55 Min	0.60 Min
CHEMICAL PROPERTIES			
Color Resistance	IS 13630 Part 8	Class I Min	Class I Min
Stain Resistance	IS 13630 Part 8	No Visible Defects	No Visible Defects

PACKING DETAILS		
DIMENSION (MM)	BOX	
	No of tiles per carton	Covered area per carton(Sq-Mtrs.)
600 x 1200	2 N	1.44
600 x 600	4 N	1.44

Note : Size and shade variation is inherent in all Ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Buyers are advised to inspect sample of the tiles before ordering and laying. At all times, the company liability is restricted to the purchase value of tiles. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete and change, any of the items, color, sizes & technical specifications without any prior notice.

Technical Specification



Double Charge Vitrified Tiles / 600 x 600

CHARACTERISTICS	STANDARD TEST METHOD	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	PRIME CERAMICS STANDARD
Regularity Properties			
Deviation in length & width (%)	ISO-10545-2	± 0.50%	± 0.10%
Deviation in thickness (%)	ISO-10545-2	± 5.00%	± 4.00%
Straightness of sides (%)	ISO-10545-2	± 0.50%	± 0.10%
Rectangularity (%)	ISO-10545-2	± 0.50%	± 0.10%
Surface flatness (%)	ISO-10545-2	± 0.50%	± 0.20%
Surface Quality (%)	ISO-10545-2	Min 95% of the tiles shall be free from visible defects	Min 95% of the tiles shall be free from visible defects
Physical & Thermal Properties			
Water absorption	ISO-10545-3	<0.50%	<0.5%
Modulus of Rupture in N/sq mm	ISO-10545-4	Min. 35	Min. 40
Breaking strength in N	ISO-10545-4	Min. 1300 N	Min. 2000 N
Impact Resistance - Coefficient of Restitution	ISO-10545-5	As per mfg	Min. 0.55
Resistance to Surface Abration	ISO-10545-7	As per mfg	Min. Class - 3
Scratch Hardness of Surface(Moh's Scale)	EN 101	As per mfg	Min. 4
Thermal shock resistance	ISO-10545-9	No Damage	No Damage
Moisture expansion	ISO-10545-10	NIL	NIL
Co-efficient of Linear Thermal Expansion	ISO-10545-8	Max. 9.0 X 10 ⁻⁶	Max. 6.5 X 10 ⁻⁶
Crazing resistance	ISO-10545-11	As per mfg	Min 10 Cycle
Chemical Properties			
Chemical resistance	ISO-10545-13	No damage	No damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

PACKING DETAILS		
DIMENSION (MM)	BOX	
	No of tiles per box	Covered area per carton(Sq-Mtrs.)
600 x 600	4 pcs	1.44

